

Set 3: Identical Information

Directions: Each question contains a sentence, a biographical entry, or a combination of a name and address. The choices that follow are similar to the given information although written in slightly different ways. Choose the best answer that is identical to or that matches the given information in terms of punctuation, spelling, and word sequence.

1. Coyne E, Needham J, Rands H. Enhancing student nurses' medication calculation knowledge: integrating theoretical knowledge into practice. Nurse Educ Today. 2013 Sep;33(9):1014-9.

A. Coyne E, Needham J, Rands H. Enhancing student nurses medication calculation knowledge; integrating theoretical knowledge into practice. Nurse Educ Today. 2013 Sep;33(9):1014-9.

B. Coyne E, Needham J, Rands H. Enhancing student nurses' medication calculation knowledge. integrating theoretical knowledge into practice. Nurse Educ Today. 2013 Sep;33(9):1014-9.

C. Coyne E, Needham J, Rands H. Enhancing student nurses' medication calculation knowledge; integrating theoretical knowledge into practice. Nurse Educ Today. 2013 Sep:33(9):1014-9.

D. Coyne E, Needham J Rands H. Enhancing student nurses' medication calculation knowledge; integrating theoretical knowledge into practice. Nurse Educ Today. 2013 Sep;33(9):1014-9

2. Before taking ibuprofen, tell your doctor or pharmacist if you are allergic to it; or to aspirin or other NSAIDs (such as naproxen, celecoxib); or if you have any other allergies. This product may contain inactive ingredients, which can cause allergic reactions or other problems. Talk to your pharmacist for more details.

A. Before taking ibuprofen, tell your doctor or pharmacist if you are allergic to it; or to aspirin or other NSAIDs (such as naproxen, celexocib); or if you have any other allergies. This product may contain inactive ingredients, which can cause allergic reactions or other problems. Talk to your pharmacist for more details.



To get the answer key and more reviewer/



Set 3: Identical Information

B. Before taking ibuprofen, tell your doctor or pharmacist if you are allergic to it or to aspirin or other NSAIDs (such as naproxen, celecoxib) or if you have any other allergies. This product may contain inactive ingredients, which can cause allergic reactions or other problems. Talk to your pharmacist for more details.

C. Before taking ibufropen, tell your doctor or pharmacist if you are allergic to it; or to aspirin or other NSAIDs (such as naproxen, celecoxib); or if you have any other allergies. This product may contain inactive ingredients, which can cause allergic reactions or other problems. Talk to your pharmacist for more details.

D. Before taking ibuprofen, tell your doctor or pharmacist if you are allergic to it; or to aspirin or other NSAIDs (such as naproxen, celecoxib); or if you have any other allergies. This product may contain inactive ingredients, which can cause allergic reactions or other problems. Talk to your pharmacist for more details.

3. Dr. JOSE BRITTANIO S. PUJALTE, JR.

Medical Center Chief II

Address: Maria Clara cor. Banawe St., Quezon City

Contact Nos.: 711-4276 local 236

Email: jspujalte@yahoo.com

poc.medicalcenterchief@gmail.com

A. Dr. JOSE BRITTANIO S. PUJALTE, JR.

Medical Center Chief III

Address: Maria Clara cor. Banawe St., Quezon City

Contact Nos.: 711-4276 local 236

Email: jspujalte@yahoo.com

poc.medicalcenterchief@gmail.com



To get the answer key and more NMAT review materials, visit <u>https://filipiknow.net/nmat-</u> <u>reviewer/</u>



Set 3: Identical Information

B. Dr. JOSE BRITTANIO S. PUJALTE, JR. Medical Center Chief II Address: Maria Clara cor. Banawe St., Quezon City Contact Nos.: 711-4276 local 236 Email: jspujalte@yahoo.com poc.medicalcenterchief@gmail.com

Address: Maria Clara cor. Banawe St., Quezon City Contact Nos.: 711-4276 local 236 Email: jspujalte@yahoo.com poc.medicalcenterchief@gmail.com

C. Dr. JOSE BRITANIO S. PUJALTE, JR.

Medical Center Chief II

D. Dr. JOSE BRITTANIO S. PUJALTE, JR. Medical Center Chief II Address: Maria Clara cor. Banawe St, Quezon City Contact Nos.: 711-4278 local 236 Email: jspujalte@yahoo.com poc.medicalcenterchief@gmail.com



To get the answer key and more reviewer/



Set 3: Identical Information

4. According to a 2016 study of intensive care (ICU) nurses, 80% of nurses considered knowledge on drug dosage calculation essential to decrease medication errors during the preparation of intravenous drugs (Di Muzio, Tartaglini, De Vito and La Torre, 2016).

A. According to a 2016 study of intensive care (ICU) nurses, 80% of nurses considered knowledge on drug dosage calculation essential to decrease medication errors during the preparation of intravenous drugs (Di Muzio, Tartaglini, De Vito and La Torre, 2016).

B. According to a 2016 study of intensive care (ICU) nurses, 80% of nurses are considered knowledge on drug dosage calculation essential to decrease medication errors during the preparation of intravenous drugs (Di Muzio, Tartaglini, De Vito and La Torre, 2016).

C. According to a 2016 study of intensive care (ICU) nurses, 80% of nurses considered knowledge on drug dosage calculation esential to decrease medication errors during the preparation of intravenous drugs (Di Muzio, Tartaglini, De Vito and La Torre, 2016).

D. According to a 2016 study of intensive care (ICU) nurses, 80% of nurses considered knowledge on drug dosage calculation essential to decrease medication errors during the preparation of intervenous drugs (Di Muzio, Tartaglini, De Vito and La Torre, 2016).

5. Dijkers M (2009) The Task Force on Systematic Reviews and Guidelines (2009) The value of "traditional" reviews in the era of systematic reviewing. Am J Phys Med Rehabil 88: 423–430 doi:10.1097/PHM.0b013e31819c59c6 [PubMed]

A. Dijkers M (2009) The Task Force on Systematic Reviews and Guidelines (2009) The value of "traditional" reviews in the eras of systematic reviewing. Am J Phys Med Rehabil 88: 423–430 doi:10.1097/PHM.0b013e31819c59c6 [PubMed]

B. Dijkers M (2009) The Task Force on Systematic Reviews and Guidelines (2009) The value of "traditional" reviews in the era of systematical reviewing. Am J Phys Med Rehabil 88: 423–430 doi:10.1097/PHM.0b013e31819c59c6 [PubMed]

C. Dijkers M (2009) The Task Force on Systematic Reviews and Guidelines (2009) The value of "traditional" reviews in the era of systematic reviewing. Am J Phys Med Rehabil 88: 423–430 doi:10.1097/PHM.0b013e31819c59c6 [PubMed]



To get the answer key and more NMAT review materials, visit <u>https://filipiknow.net/nmat-</u> <u>reviewer/</u>



Set 3: Identical Information

D. Dijkers M (2009) The Task Force on Systematic Reviews and Guidelines (2008) The value of "traditional" reviews in the era of systematic reviewing. Am J Phys Med Rehabil 88: 423–430 doi:10.1097/PHM.0b013e31819c59c6 [PubMed]

6. TRACTEBEL Philippines ENERGY
ENGIE Country Delegate for the Philippines
Units 201-203, 2/F Hanston Building
Ortigas Jr. Road, Ortigas Center
Pasig City, Metro Manila 1605 Philippines

A. TRACTEBEL Philippines ENERGY ENGIE Country Delegate for the Philippines Units 201-203, 2/F Hanston Building Ortigas Jr. Road, Ortigas Center Pasig City, Metro Manila 1605 Philippines

B. TRACTEBEL Philippines ENERGY
ENGIE County Delegate for the Philippines
Units 201-203, 2/F Hanston Building
Ortigas Jr. Road, Ortigas Center
Pasig City, Metro Manila 1605 Philippines

C. TRACTEBEL Philippines ENERGY



To get the answer key and more NMAT review materials, visit <u>https://filipiknow.net/nmat-</u> <u>reviewer/</u>



Set 3: Identical Information

ENGIE Country Delegate for the Philippines Units 201-203, 2/F Hanson Building Ortigas Jr. Road, Ortigas Center Pasig City, Metro Manila 1605 Philippines

D. TRACTEBEL Philippines ENERGY ENGIE Country Delegate for the Philippines Units 201-203, 2/F Hanston Building Ortigas Jr. Road, Ortigas Center Pasig City, Metro Manila 1605 Philipines

7. Guideline: your weight in kg, plus 50 = total dosage in milligrams for the session. (1.5 mg/kg with a 120 mg max may be more optimal, but the weight + 50 is a good rule of thumb). If you're more cautious or want something a little less intense, perhaps weight in kg + 35-40.

A. Guideline: your weight in kg, plus 50 = total dosage in milligams for the session. (1.5 mg/kg with a 120 mg max may be more optimal, but the weight + 50 is a good rule of thumb). If you're more cautious or want something a little less intense, perhaps weight in kg + 35-40.

B. Guideline: your weight in kg, plus 50 = total dosage in milligrams for the session. (1.5 mg/kg with a 120 mg max may be more optimal, but the weight + 50 is a good rule of thumb). If you're more cautious or want something a little less intense, perhaps weight in kg + 35-40.

C. Guideline: your weight in kg, plus 50 = total dosage in milligrams for the session. (1.5 mg/kg with a 120 mg max may be more optimal, but the weight + 50 is a good rule of thumb). If you're more cautiuos or want something a little less intense, perhaps weight in kg + 35-40.

D. Guideline: your weight in kg, plus 60 = total dosage in milligrams for the session. (1.5 mg/kg with a 120 mg max may be more optimal, but the weight + 50 is a good rule of thumb). If you're more cautious or want something a little less intense, perhaps weight in kg + 35-40.



To get the answer key and more NMAT review materials, visit <u>https://filipiknow.net/nmat-</u> <u>reviewer/</u>



NMAT PerceptualSet 3:KnowAcuity PracticeIdentical Information

8. Hart C (1998) Doing a literature review: releasing the social science research imagination. London: SAGE.

A. Hart C (1998) Doing a literature review: releasing the social science research imagination. London: SAGE.

B. Hart C (1998) Doing a literature review: releasing the social science research imagination. London, SAGE.

C. Hart C (1998) Doing a literature review releasing the social science research imagination. London: SAGE.

D. Hart C (1999) Doing a literature review: releasing the social science research imagination. London: SAGE.

9. Ina Moran P.O. Box 929 4189 Nunc Road Lebanon KY 69409 (389) 737-2852

A. Ina Moran P.O Box 929 4189 Nunc Road Lebanon KY 69409 (389) 737-2852

B. Ina Moran



To get the answer key and more NMAT review materials, visit https://filipiknow.net/nmatreviewer/



Set 3: Identical Information

P.O. Box 929 4189 Nunc Road Lebanon KY 69409 (389) 737-2852

C. Ina Moran

P.O. Box 929 4189 Nunc Road Lebanon KY 69509 (389) 737-2852

D. Ina Moran P.O. Box 929 4189 Nunc Road Lebanon KY 69409 (388) 737-2852

10. Oro, Plata, Mata is a 1982 Filipino film directed by Peque Gallaga, from a screenplay written by José Javier Reyes. The film is considered to be Gallaga's most significant contribution to the Philippine cinema. Set in the Philippine province of Negros during World War II, it tells the story of how two haciendero families cope with the changes brought about by the war.

A. Oro, Plata, Mata is a 1982 Filipino film directed by Peque Gallaga, from a screenplay written by José Javier Reyes. The film is considered to be Gallaga's most significant contribution to the Philippine cinema. Set in the Philippine province of Negros during World War II, it tells the story of how two haciendero families cope with the changes brought about by the war.



To get the answer key and more NMAT review materials, visit <u>https://filipiknow.net/nmat-</u> <u>reviewer/</u>



Set 3: Identical Information

B. Oro, Plata, Mata is a 1982 Filipino film directed by Peque Gallaga, from a screenplay written by José Javier Reyes, The film is considered to be Gallaga's most significant contribution to the Philippine cinema. Set in the Philippine province of Negros during World War II, it tells the story of how two haciendero families cope with the changes brought about by the war.

C. Oro, Plata, Mata is a 1983 Filipino film directed by Peque Gallaga, from a screenplay written by José Javier Reyes. The film is considered to be Gallaga's most significant contribution to the Philippine cinema. Set in the Philippine province of Negros during World War II, it tells the story of how two haciendero families cope with the changes brought about by the war.

D. Oro, Plata, Mata is a 1982 Filipino film directed by Peque Gallaga, from a screenplay written by José Javier Reyes. The film is considered to be Gallagas most significant contribution to the Philippine cinema. Set in the Philippine province of Negros during World War II, it tells the story of how two haciendero families cope with the changes brought about by the war.

11. Fredrickson, B. L. (2000, March 7). Cultivating positive emotions to optimize health and wellbeing. Prevention & Treatment, 3, Article 0001a. Retrieved from http://journals.apa.org/prevention/volume3/pre0030001a.html

A. Fredrickson, B. L. (2000, March 7). Cultivating positive emotions to optimize health and wellbeing. Prevention & Treatment, 4, Article 0001a. Retrieved from <u>http://journals.apa.org/prevention/volume3/pre0030001a.html</u>

B. Frederickson, B. L. (2000, March 7). Cultivating positive emotions to optimize health and well-being. Prevention & Treatment, 3, Article 0001a. Retrieved from http://journals.apa.org/prevention/volume3/pre0030001a.html



To get the answer key and more NMAT review materials, visit <u>https://filipiknow.net/nmat-</u> <u>reviewer/</u>



Set 3: Identical Information

C. Fredrickson, B. L. (2000, March 7). Cultivating positive emotions to optimize health and wellbeing. Prevention & Treatment, 3, Article 0001a. Retrieved from <u>http://journals.apa.org/prevention/volume3/pre0030001a.html</u>

D. Fredrickson, B. L. (2000, March 7). Cultivating positive emotions to optimize health and wellbeing. Prevention & Treatment, 3, Article 0001a. Retrieved by <u>http://journals.apa.org/prevention/volume3/pre0030001a.html</u>

12. Allied Banking Corporation (Allied Bank)

Chairman: Domingo T. Chua

President: Anthony Q. Chua

Business Address: Allied Bank Center, 6754 Ayala Ave., Makati City 1200

Telephone No/s: 816-3311 to 50

Fax No: 810-1705

E-mail Address: info@alliedbank.com.ph

Website: http://www.alliedbank.com.ph

A. Allied Banking Corporation (Allied Bank)

Chairman: Domingo T. Chua

President: Anthony Q. Chua

Business Address: Allied Bank Center, 6754 Ayala Ave., Makati City 1200

Telephone No/s: 816-3311 to 50

Fax No: 810-1725

E-mail Address: info@alliedbank.com.ph



To get the answer key and more NMAT review materials, visit <u>https://filipiknow.net/nmat-</u> <u>reviewer/</u>



FilipiNMAT PerceptualSet 3:FilipiAcuity PracticeIdentical Information

Website: http://www.alliedbank.com.ph

B. Allied Banking Corporation (Allied Bank) Chairman: Domingo B. Chua President: Anthony Q. Chua Business Address: Allied Bank Center, 6754 Ayala Ave., Makati City 1200 Telephone No/s: 816-3311 to 50 Fax No: 810-1705 E-mail Address: info@alliedbank.com.ph Website: http://www.alliedbank.com.ph

C. Allied Banking Corporation (Allied Bank)

Chairman: Domingo T. Chua

President: Anthony Q. Chua

Business Adress: Allied Bank Center, 6754 Ayala Ave., Makati City 1200

Telephone No/s: 816-3311 to 50

Fax No: 810-1705

E-mail Address: info@alliedbank.com.ph

Website: http://www.alliedbank.com.ph

D. Allied Banking Corporation (Allied Bank) Chairman: Domingo T. Chua President: Anthony Q. Chua Business Address: Allied Bank Center, 6754 Ayala Ave., Makati City 1200 Telephone No/s: 816-3311 to 50



To get the answer key and more reviewer/



Set 3: Identical Information

Fax No: 810-1705 E-mail Address: info@alliedbank.com.ph Website: http://www.alliedbank.com.ph

13. username@uwex.edu username@ces.uwex.edu username@ics.uwex.edu username@ecc.uwex.edu username@vilas.uwex.edu username@wgnhs.uwex.edu username@wpr.uwex.edu

A. username@uwex.edu username@ces.uwex.edu username@ics.uwex.edu username@eccc.uwex.edu username@vilas.uwex.edu username@wgnhs.uwex.edu username@wpr.uwex.edu

B. username@uwex.edu username@ces.uwexedu username@ics.uwex.edu



To get the answer key and more NMAT review materials, visit https://filipiknow.net/nmatreviewer/



Set 3: Identical Information

username@ecc.uwex.edu username@vilas.uwex.edu username@wgnhs.uwex.edu username@wpr.uwex.edu

C. username@uwex.edu username@ces.uwex.edu username@ics.uwex.edu username@ecc.uwex.edu username@vilas.uwex.edu username@wgnhs.uwex.edu username@wpr.uwex.edu

D. username@uwex.edu username@ces.uwex.edu username@ics.uwex.edu username@ecc.uwex.edu username@vilas.uwex.edu username@wgsss.uwex.edu username@wpr.uwex.edu

14. Consul: Christian HUE Adresse: 16/F Pacific Star Building



To get the answer key and more NMAT review materials, visit https://filipiknow.net/nmatreviewer/



Set 3: Identical Information

Sen. Gil Puyat Ave. cor. Makati Ave. Makati City, Philippines Téléphone: (632) 857 69 00 Fax: (632) 857 69 51 Site Web: www.ambafrance-ph.org Email: admin-francais.manille-amba@diplomatie.gouv.fr

A. Consul: Christian HUE Adresse: 16/F Pacific Star Building Sen. Gil Puyat Ave. cor. Makati Ave. Makati City Philippines Téléphone: (632) 857 69 00 Fax: (632) 857 69 51 Site Web: www.ambafrance-ph.org Email: admin-francais.manille-amba@diplomatie.gouv.fr

B. Consul: Christian HUE Adresse: 16/F Pasific Star Building Sen. Gil Puyat Ave. cor. Makati Ave. Makati City, Philippines Téléphone: (632) 857 69 00 Fax: (632) 857 69 51 Site Web: www.ambafrance-ph.org Email: admin-francais.manille-amba@diplomatie.gouv.fr



To get the answer key and more reviewer/



NMAT PerceptualSet 3:KnowAcuity PracticeIdentical Information

C. Consul: Christian HUE Adresse: 16/F Pacific Star Building Sen. Gil Puyat Ave. cor. Makati Ave. Makati City, Phillipines Téléphone: (632) 857 69 00 Fax: (632) 857 69 51 Site Web: www.ambafrance-ph.org Email: admin-francais.manille-amba@diplomatie.gouv.fr D. Consul: Christian HUE Adresse: 16/F Pacific Star Building Sen. Gil Puyat Ave. cor. Makati Ave. Makati City, Philippines

Téléphone: (632) 857 69 00

Fax: (632) 857 69 51

Site Web: www.ambafrance-ph.org

Email: admin-francais.manille-amba@diplomatie.gouv.fr

15. Malunggay, known as horse-radish tree or Ben oil tree in English and whose scientific name is Moringa oleifera is indeed a very useful plant. It is rich in nutrients; it helps clean turbid water because it acts as a flocculant that is able to precipitate suspended particles; it is a source of oil; and it has some medicinal properties.

A. Malunggay, known as horse-radish tree or Ben oil tree in English and whose scientific names is Moringa oleifera is indeed a very useful plant. It is rich in nutrients; it helps clean turbid water



To get the answer key and more NMAT review materials, visit https://filipiknow.net/nmatreviewer/



Set 3: Identical Information

because it acts as a flocculant that is able to precipitate suspended particles; it is a source of oil; and it has some medicinal properties.

B. Malunggay, known as horse-radish tree or Ben oil tree in English and whose scientific name is Moringa oleifera is indeed a very useful plant. It is rich in nutrients it helps clean turbid water because it acts as a flocculant that is able to precipitate suspended particles; it is a source of oil; and it has some medicinal properties.

C. Malunggay, known as horse-radish tree or Ben oil tree in English and whose scientific name is Moringa oleifera is indeed a very useful plant. It is rich in nutrients; it helps clean turbid water because it acts as a floculant that is able to precipitate suspended particles; it is a source of oil; and it has some medicinal properties.

D. Malunggay, known as horse-radish tree or Ben oil tree in English and whose scientific name is Moringa oleifera is indeed a very useful plant. It is rich in nutrients; it helps clean turbid water because it acts as a flocculant that is able to precipitate suspended particles; it is a source of oil; and it has some medicinal properties.

16. A. C. Arpaci-Dusseau, D. E. Culler, and A. M. Mainwaring, "Scheduling with Implicit Information in Distributed Systems," In Proceedings of the SIGMETRICS'98/PERFORMANCE'98 Joint International Conference on Measurement and Modeling of Computer Systems, pp. 233-43, Madison, Wisconsin, June 1998.

A. A. C. Arpaci Dusseau, D. E. Culler, and A. M. Mainwaring, "Scheduling with Implicit Information in Distributed Systems," In Proceedings of the SIGMETRICS'98/PERFORMANCE'98 Joint International Conference on Measurement and Modeling of Computer Systems, pp. 233-43, Madison, Wisconsin, June 1998.



To get the answer key and more NMAT review materials, visit <u>https://filipiknow.net/nmat-</u> <u>reviewer/</u>



Set 3: Identical Information

B. A. C. Arpaci-Dusseau, D. E. Culler, and A. M. Mainwaring, "Scheduling with Implicit Information in Distributed Systems," In Proceedings of the SIGMETRICS'98/PERFORMANCE'98 Joint International Conference on Measurement and Modeling of Computer Systems, pp. 233-43, Madison Wisconsin, June 1998.

C. A. C. Arpaci-Dusseau, D. E. Culler, and A. M. Mainwaring, "Scheduling with Implicit Information in Distributed Systems," In Proceedings of the SIGMETRICS'98/PERFORMANCE'98 Joint International Conference on Measurement and Modeling of Computer Systems, pp. 233-43, Madison, Wisconsin, June 1998.

D. A. C. Arpaci-Dusseu, D. E. Culler, and A. M. Mainwaring, "Scheduling with Implicit Information in Distributed Systems," In Proceedings of the SIGMETRICS'98/PERFORMANCE'98 Joint International Conference on Measurement and Modeling of Computer Systems, pp. 233-43, Madison, Wisconsin, June 1998.

17. For minor aches and pains, take 2 tablets of Regular Strength Tylenol (dose 325 mg each tablet) every 4 to 6 hours as needed (q4 to q6 PRN). Do not exceed more than 10 tablets in 24 hours, and if the pain persists for more than a day or two, see a physician.

A. For minor aches and pains, take 2 tablets of Regular Strength Tylenol (dose 326 mg each tablet) every 4 to 6 hours as needed (q4 to q6 PRN). Do not exceed more than 10 tablets in 24 hours, and if the pain persists for more than a day or two, see a physician.

B. For minor aches and pains, take 2 tablets of Regular Strength Tylenol (dose 325 mg each tablet) every 4 to 6 hours as needed (q4 to q6 PRN). Do not exceed more than 10 tablets in 24 hours, and if the pain persists for more than a day or two, see a physician.



To get the answer key and more reviewer/



NMAT PerceptualSet 3:KnowAcuity PracticeIdentical Information

C. For minor aches and pains, take 2 tablets of Regular Strength Tylenol (dose 325 mg each tablet) every 4 to 8 hours as needed (q4 to q6 PRN). Do not exceed more than 10 tablets in 24 hours, and if the pain persists for more than a day or two, see a physician.

D. For minor aches and pains, take 2 tablets of Regular Strength Tylenol (dose 325 mg each tablet) every 4 to 6 hours as needed (q4 to q6 PRN). Do not exceed more than 10 tablets in 48 hours, and if the pain persists for more than a day or two, see a physician.

18. Philippine Health Insurance Corporation, Citystate Centre, 709 Shaw Boulevard 1603 Pasig City | Call Center (+632) 441-7442

A. Philippine Health Insurance Corporation, Citystate Centre, 709 Shaw Bolevard 1603 Pasig City | Call Center (+632) 441-7442

B. Philippine Health Insurance Corporation, Citystate Centre, 709 Shaw Boulevard 1603 Pasig City | Call Center (+632) 441-7443

C. Philippine Health Insurance Corporation, City state Centre, 709 Shaw Boulevard 1603 Pasig City | Call Center (+632) 441-7442

D. Philippine Health Insurance Corporation, Citystate Centre, 709 Shaw Boulevard 1603 Pasig City | Call Center (+632) 441-7442



To get the answer key and more NMAT review materials, visit https://filipiknow.net/nmatreviewer/



Set 3: Identical Information

19. University of the Philippines Manila Taft Avenue, Manila Philippines 1000. Tel: (02) 554-8400. PHIC Accredited Hospital Provider ISO 9001:2008 Certified.

A. University of the Philippines Manila Taft Avenue, Manila Philippines 1000. Tel: (02) 554-8400. PHIC Accredited Hospital Provider ISO 9001:2008 Certified.

B. University of the Philippines Manila Taft Avenue, Manila Philippines 1000. Tel: (02) 554-8400. PHIC Acredited Hospital Provider ISO 9001:2008 Certified.

C. University of the Philippines Manila Taft Avenue Manila Philippines 1000. Tel: (02) 554-8400. PHIC Accredited Hospital Provider ISO 9001:2008 Certified.

D. University of the Philippines Manila Taft Avenue, Manila Philippines 1000. Tel: (02) 554-8400. PHIC Accredited Hospital Provider ISO 9001:2009 Certified.

20. Age and Ageing, Volume 35, Issue 4, 1 July 2006, Pages 350–364, <u>https://doi.org/10.1093/ageing/afl005</u>. Published: 28 April 2006.

A. Age and Aging, Volume 35, Issue 4, 1 July 2006, Pages 350–364, <u>https://doi.org/10.1093/ageing/afl005</u>. Published: 28 April 2006.

B. Age and Ageing, Volume 35, Issue 4, 1 July 2006, Pages 350–364, <u>https://doi.org/10.1093/ageing/afl005</u>. Published: 28 April 2006.

C. Age and Ageing, Volume 35, Issue 4, 1 July 2006, Pages 360–364, <u>https://doi.org/10.1093/ageing/afl005</u>. Published: 28 April 2006.



To get the answer key and more NMAT review materials, visit <u>https://filipiknow.net/nmat-</u> <u>reviewer/</u>



NMAT PerceptualSet 3:KnowAcuity PracticeIdentical Information

D. Age and Ageing, Volume 35, Issue 4 1 July 2006, Pages 350–364, https://doi.org/10.1093/ageing/afl005. Published: 28 April 2006.

21. 30 mg tablets: Blue-green, apple-shaped biconvex tablets debossed '101' on one side and 'ACX 30' on the other side.

A. 30 mg tablets: Blue-green, apple-shaped biconcave tablets debossed '101' on one side and 'ACX 30' on the other side.

B. 30 mg tablets: Blue-green, apple-shaped biconvex tablets debossed '101' on one side and 'ACX 3 on the other side.

C. 30 mg tablets: Blue-green, apple-shaped biconvex tablets debosed '101' on one side and 'ACX 30' on the other side.

D. 30 mg tablets: Blue-green, apple-shaped biconvex tablets debossed '101' on one side and 'ACX 30' on the other side.

22. Side Effects

Dizziness, headache, stomach upset, nausea, vomiting, loss of appetite, diarrhea, constipation, or metallic taste in your mouth may occur. If any of these effects last or get worse, tell your doctor or pharmacist promptly.



To get the answer key and more reviewer/



Set 3: Identical Information

A. Side Effects

Dizziness, headache, stomach upset, nausea, vomiting, loss of appetite, diarrhea, constipation, or metallic taste in your mouth may occur. If any of these effects last or get worse, tell your doctor or pharmacist promptly.

B. Side Effects

Dizziness, headache, stomach upset, nausea, vomiting, loss of appetite, diarhea, constipation, or metallic taste in your mouth may occur. If any of these effects last or get worse, tell your doctor or pharmacist promptly.

C. Side Efects

Dizziness, headache, stomach upset, nausea, vomiting, loss of appetite, diarrhea, constipation, or metallic taste in your mouth may occur. If any of these effects last or get worse, tell your doctor or pharmacist promptly.

D. Side Effects

Dizziness, headache, stomach upset, nausea, vomiting loss of appetite, diarrhea, constipation, or metallic taste in your mouth may occur. If any of these effects last or get worse, tell your doctor or pharmacist promptly.

23. Philippine Children's Medical Center Quezon Ave., Quezon City

Trunk line : 588 9900

A. Philippine Children's Medical Center

Quezon Ave, Quezon City



To get the answer key and more NMAT review materials, visit <u>https://filipiknow.net/nmat-</u> <u>reviewer/</u>



Set 3: Identical Information

Trunk line : 588 9900

B. Philippine Children's Medical Center Quezon Ave., Quezon City Trunk line : 588 9900

C. Philippine Childrens Medical Center Quezon Ave., Quezon City Trunk line : 588 9900

D. Philippine Children's Medical Center Quezon Ave., Quezon City Trunk line : 589 9900



To get the answer key and more NMAT review materials, visit https://filipiknow.net/nmatreviewer/